


Dialog DataStar[options](#)[logout](#)[feedback](#)[help](#)[databases](#)[easy search](#)**Advanced Search: INSPEC - 1969 to date (INZZ)**[limit](#)

Search history:

No.	Database	Search term	Info added since	Results	
1	INZZ	fabry ADJ perot OR fabry-perot	unrestricted	12096	show titles
2	INZZ	analyte	unrestricted	1468	show titles
3	INZZ	binder	unrestricted	4341	show titles
4	INZZ	1 AND 2 AND 3	unrestricted	0	-

[hide](#) | [delete all search steps...](#) | [delete individual search steps...](#)Enter your search term(s): [Search tips](#) Information added since: or:
(YYYYMMDD)

Select special search terms from the following list(s):


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [more »](#)

fabry perot analyte binder

Search

[Advanced Search](#)
[Preferences](#)
WebResults 1 - 7 of about 13 for **fabry perot analyte binder** (0.49 seconds)Table of Contents... the **binder** composition Latex **binder** for nonwoven ... wavelength division multiplexing**fabry-perot** filter using ... neighbor constraint ranges **Analyte** sensing mediated ...www.patentalert.com/docs/000/y_39.shtml - 97k - [Cached](#) - [Similar pages](#)Table of Contents... form with polymeric **binder** Hydroxyphenyltriazines Cis ... for monitoring changes in **analyte**concentration Zace 1 ... surfaces Tunable fiber **Fabry-Perot** surface-emitting ...www.patentalert.com/docs/y_13.shtml - 91k - Oct 5, 2004 - [Cached](#) - [Similar pages](#)[[More results from www.patentalert.com](#)][PDF] INTERNATIONAL UNION OF PURE AND APPLIED CHEMISTRY CIT : PI ...File Format: PDF/Adobe Acrobat - [View as HTML](#)... 1 **analyte** III 4.1 (**analyte**) addition technique III 4.2; 4.4.3 (**analyte**) signal III ...1 biased oscillating discharge V 4.1.2 binary collision V 7.1.3 **binder** X 3.1 ...www.iupac.org/reports/V/spectro/index.pdf - [Similar pages](#)[PDF] SYMPOSIUM NFile Format: PDF/Adobe Acrobat - [View as HTML](#)... them with solvent vapors while monitoring their conductance and the **analyte** uptakeby ... of d=60-100nm several Bragg-reflectors and **Fabry-Perot** microcavities for ...www-emrs.c-strasbourg.fr/ 2003SPRING/2003ABSTRACTS/2003_N_ABS.PDF - [Similar pages](#)[PDF] PATENTSFile Format: PDF/Adobe Acrobat - [View as HTML](#)

Page 1. Supplement to the AUSTRALIAN OFFICIAL JOURNAL OF PATENTS The Australian

Official Journal of Patents (Supplement) is part ...

pericles.ipaustralia.gov.au/ojs/epublish/content/ojsPDFDownload.jsp?pdfJournalId=69 - [Similar pages](#)[PDF] Atomic Spectrometry Update— Atomic emission spectrometry

File Format: PDF/Adobe Acrobat

... discharge via an injection was employed to monitor single spark emission from a source with a 300 Hz repetition rate for a large number of **analyte** port drilled ...pubs.rsc.org/ej/JA/1998/J9803768.pdf - [Similar pages](#)[PS] ETOPIM 2002 AbstractsFile Format: Adobe PostScript - [View as Text](#)... ratio of the Young's modulus of the crystals to that of the **binder** can be ... of the fluctuated fluorescence excitation from Cy-5 labeled **analyte** molecules coated ...www.math.utah.edu/etopim/conference-abstracts.ps - [Similar pages](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 7 already displayed.

If you like, you can repeat the search with the omitted results included.